



This Product Information Sheet is not intended to replace the Product Label. Always read the Product Label for the most current nutrient content and feeding directions.

BGF-30®

Product #undefined

Feeding Applications

For beef cattle on pasture

Product Features

CRYSTALYX BGF-30 is a complete, self-fed supplement specially formulated for cattle low- to moderate-quality forages.

CRYSTALYX BGF-30 benefits and features include:

- Featuring a combination of both rumen-degradable protein and rumen-bypass protein, this nutrient-dense, self-fed supplement provides protein, minerals and vitamins that are ideal for cattle on low- to moderate-quality forages
- Contains Bioplex® organic trace minerals, which are formulated to be more readily absorbed and bioavailable to the animal
- Features Bio-Mos 2 at the recommended rate of inclusion, optimizing the health and development of the animal's gut and improving overall animal performance

Looking for more targeted support?

Explore our enhanced blocks that begin with BGF-30® and go further.

- [BGF-30® with Bio-Mos® 2](#)
- [BGF-30® with Integral® A+](#)

Ingredients

Molasses Products, Animal Protein Products, Calcium Phosphate, Processed Grain By-Products, Urea, Vegetable Oil, Magnesium Oxide, Calcium Carbonate, Roughage Products, Manganese Sulfate, Zinc Sulfate, Zinc Proteinate, Selenium Yeast, Copper Sulfate, Manganese Proteinate, Manganous Oxide, Copper Proteinate, Plant Protein Products, Zinc Oxide, Cobalt Proteinate, Vitamin E Supplement, Vitamin A Supplement, Vitamin D3 Supplement, Mineral Oil, Ethylenediamine Dihydroiodide, Cobalt Carbonate, Calcium Iodate.

Nutrition Information

Crude Protein (min)	30%
Crude Fat (min)	4%
Crude Fiber (max)	3%
Calcium	2% - 2.5%
Phosphorus (min)	2%
Magnesium (min)	1%
Potassium (min)	2%
Vitamin A (min)	80000 IU/lb
Vitamin D3 (min)	8000 IU/lb
Vitamin E (min)	100 IU/lb
Cobalt (min)	10 ppm
Copper (min)	330 ppm
Iodine (min)	17 ppm
Manganese (min)	1330 ppm
Selenium (min)	6 ppm
Zinc (min)	1000 ppm

Usage Guidelines

Placement: Place containers in areas that achieve desired supplement intake.

Relocation: Once acceptable levels have been achieved, the containers may be moved to underutilized pasture areas to improve grazing distribution and forage utilization.

Accessibility: A minimum of two (2) containers may be necessary in each lot or pasture to ensure proper accessibility.

Quantity: Feed at the rate of one container for every 20-30 head.

Monitoring: Self-fed consumption will depend on size of the animals fed, seasonal weather conditions, as well as quality, source and availability of other feeds. Cattle typically consume between 0.5 and 1.1 pounds per head per day.

Additional Feeding Information

WARNING: This product, which contains added copper, should not be fed to sheep or any species that have a low tolerance to supplemental copper.

CAUTION: USE ONLY AS DIRECTED. FOR RUMINANTS ONLY. Consumption of selenium should not exceed 3 mg per head daily.