



This Product Information Sheet is not intended to replace the Product Label. Always read the Product Label for the most current nutrient content and feeding directions.

ICON Mineral with Garlic and ClariFly®

Product #85196

Feeding Applications

Free-choice mineral supplement for cattle; includes ClariFly® to inhibit fly emergence from manure of treated cattle. Product availability may vary by region.

Ingredients

Molasses Products, Monocalcium Phosphate, Dicalcium Phosphate, Calcium Carbonate, Magnesium Oxide, Vegetable Oil, Plant Protein Products, Hydrolyzed Yeast, Zinc Sulfate, Processed Grain By-Products, Dried Aspergillus Oryzae Fermentation Extract, Roughage Products, Natural Flavor, Manganous Oxide, Zinc Proteinates, Manganese Proteinates, Copper Sulfate, Selenium Yeast, Copper Proteinates, Sodium Propionate (A Preservative), Cobalt Proteinates, Vitamin E Supplement, Mineral Oil, Silicon Dioxide, Vitamin A Supplement, Cobalt Carbonate, Lactic Acid, Ethylenediamine Dihydroiodide, Vitamin D3 Supplement

Nutrition Information

Crude Fat (min)	3%
Crude Fiber (max)	2%
Calcium	8% - 9.6%
Phosphorus (min)	4%
Magnesium (min)	2.5%
Vitamin A (min)	250000 IU/lb
Vitamin D3 (min)	25000 IU/lb
Vitamin E (min)	250 IU/lb
Cobalt (min)	100 ppm
Copper (min)	1200 ppm
Iodine (min)	100 ppm
Manganese (min)	3600 ppm
Selenium (min)	13.2 ppm
Zinc (min)	4800 ppm

Usage Guidelines

Placement: Locate containers where cattle congregate (watering, loafing, shade areas).

Relocation: If intake is low, increase feeding locations or move to areas more frequented by cattle. If intake is high, reduce locations or move to less frequented areas.

Accessibility: Offer one container for every 15 to 25 head. Remove all other self-limiting nutritional supplements.

Quantity: Cattle should consume an average of 0.4 oz of CRYSTALYX® ICON Mineral with Garlic and ClariFly® per 100 lbs of animal body weight per day, equivalent to 4 oz. per day for a 1,000-lb cow.

Monitoring: Replenish on a regular basis as needed. If introduced after adult fly infestation is established, supplemental sprays may be required to reduce adult flies from outside sources.

Additional Feeding Information

When used as directed, it will provide sufficient ClariFly® to inhibit fly emergence from the manure of treated cattle. This product prevents the emergence of house flies, face flies, stable flies, and horn flies from the manure of treated cattle. Existing adult flies will not be affected. Start feeding this product early in the spring before flies begin to appear and continue feeding throughout the summer and into the fall until cold weather restricts fly activity.

This product contains added copper. Do not feed to sheep and other species that have a low tolerance to supplemental copper. Do not use in association with feeds containing supplemental selenium.

Start feeding early in the spring before flies appear; continue through summer into fall until cold weather restricts fly activity. Existing adult flies will not be affected.