



This Product Information Sheet is not intended to replace the Product Label. Always read the Product Label for the most current nutrient content and feeding directions.

Mineral-lyx® AB CNDN

Product #30594

Feeding Applications

Beef cattle and replacement dairy heifers (spring and summer pastures).

Product Features

- Designed to complement the mineral composition of grass or legume forages (on pasture or stored)
- Naturally self limiting, low moisture block delivery cannot be bitten or chewed
- Trace mineral and vitamin nutrition available 24/7
- Highly palatable to consistently encourage consumption of minerals and vitamins under self fed grazing conditions
- Ideal for beef cattle on spring and summer pastures
- Offer 30 days before calving until the youngest calf is 45 days old to maximize benefits of All Brew

Contains All Brew to support overall performance. All Brew is designed to feed the gastrointestinal tract, thereby maximizing performance and profitability.

Benefits of All Brew:

- Promotes performance at all stages
- Supports colostrum quality and newborn calf performance
- Contributes to gastrointestinal integrity and stability to aid in nutrient utilization
- Supports average daily gain
- Reinforces the health status of receiving cattle in the feedlot
- Supports economic returns

Nutrition Information

Crude Fat (min)	3%
Crude Fiber (max)	3%
Calcium	4% - —
Phosphorus (min)	4%
Magnesium (min)	3%
Potassium (min)	2%
Vitamin A (min)	220000 IU/kg
Vitamin D3 (min)	22000 IU/kg
Vitamin E (min)	220 IU/kg
Cobalt (min)	5 mg/kg
Copper (min)	500 mg/kg
Iodine (min)	25 mg/kg
Manganese (min)	2000 mg/kg
Selenium (min)	6 mg/kg
Zinc (min)	1500 mg/kg

Usage Guidelines

Placement: Place containers in areas that achieve desired supplement intake

Relocation: Once acceptable intake levels have been achieved, the containers may be moved to underutilized pasture areas

Accessibility: A minimum of two (2) containers may be necessary in each lot or pasture to ensure proper accessibility

Quantity: Feed at the rate of one container for every 20-30 head of mature animals. Cattle typically consume between 140 and 450 pound per head per day

Monitoring: Self-fed consumption will depend on size of the animals fed, seasonal weather conditions, as well as quality, source and availability of other feeds

Additional Feeding Information

ALL CONSUMPTION FIGURES STATED HERE ARE APPROXIMATE. PROVIDE FREE ACCESS TO CLEAN, FRESH WATER AT ALL TIMES. CRYSTALYX MINERAL-LYX AB SUPPLEMENT CONTAINS NO SALT. PROVIDE SALT FREE CHOICE.