



This Product Information Sheet is not intended to replace the Product Label. Always read the Product Label for the most current nutrient content and feeding directions.

# VP-30® AB CNDN

Product #30595

## Feeding Applications

For self-feeding to grazing beef cattle.

## Product Features

- Rumen-available protein helps to maximize forage digestion and optimize rumen fermentation
- Naturally self-limiting, low-moisture block delivery cannot be bitten or chewed
- Trace mineral and vitamin nutrition available 24/7
- Highly palatable to consistently encourage consumption of minerals and vitamins under self-fed grazing conditions
- Ideal for beef cattle on late season pastures, crop residues, or low quality, harvested forages
- Offer 30 days before calving until the youngest calf is 45 days old to maximize benefits of All-Brew

Contains All-Brew to support overall performance. All-Brew is designed to feed the gastrointestinal tract, thereby maximizing performance and profitability.

## Benefits of All-Brew:

- Promotes performance at all stages
- Supports colostrum quality and newborn calf performance
- Contributes to gastrointestinal integrity and stability to aid in nutrient utilization
- Supports average daily gain
- Reinforces the health status of receiving cattle in the feedlot
- Supports economic returns

## Nutrition Information

Crude Protein (min)	30%
Crude Fat (min)	4%
Crude Fiber (max)	3%
Calcium	2% - —
Phosphorus (min)	2%
Magnesium (min)	1%
Potassium (min)	2%
Vitamin A (min)	176000 IU/kg
Vitamin D3 (min)	17600 IU/kg
Vitamin E (min)	220 IU/kg
Cobalt (min)	3.3 mg/kg
Copper (min)	330 mg/kg
Iodine (min)	17 mg/kg
Manganese (min)	1330 mg/kg
Selenium (min)	6 mg/kg
Zinc (min)	1000 mg/kg

## Usage Guidelines

**Placement:** Place containers in dry spots near loafing areas and watering locations.

**Relocation:** Once acceptable intake levels have been achieved, the containers may be moved to underutilized pasture areas.

**Accessibility:** A minimum of two (2) containers may be necessary in each lot or pasture to ensure proper accessibility.

**Quantity:** Feed at the rate of one container for every 20-30 head. Cattle typically consume between 225 and 454 grams per head per day.

**Monitoring:** Self-fed consumption will depend on size of the animals fed, seasonal weather conditions, as well as quality, source and availability of other feeds.

## Additional Feeding Information

ALL CONSUMPTION FIGURES STATED HERE ARE APPROXIMATE. PROVIDE FREE ACCESS TO CLEAN, FRESH WATER AT ALL TIMES. CRYSTALYX VP-30 AB SUPPLEMENT CONTAINS NO SALT. PROVIDE SALT FREE CHOICE.